


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

Please amend claim 83 as follows (additions are underlined; deletions are in ~~strike through~~):


1. (Previously Presented) A compound including resolved enantiomers, diastereomers, solvates and pharmaceutical acceptable salts thereof, said compound having the formula:



- wherein if R_1 is hydrogen or $--OH$ then R_2 is AX, and if R_2 is hydrogen or $--OH$ then R_1 is AX, and A may be absent or A may be any alkyl or aryl group where X is hydrogen, a phosphate group, a phosphonic acid derivative group, an alcohol group, a carboxylic acid group, an ether group, an ester group, a nitrile group, a sulfone group, a sulfide group, an amino acid derivative group, an amine group, and amide group, an aldehyde group, or an aromatic group.
2. (Original) The compound of claim 1, wherein said alcohol group is represented by $--R^3OH$, wherein R^3 is a straight chained or branched alkyl group having 1 to 5 carbon atoms.
 3. (Original) The compound of claim 1, wherein said carboxylic acid group comprises $--R^4COOH$ wherein R^4 is at least one saturated or unsaturated alkyl group, an aryl group an ester group, an ether group or a combination thereof.


4. (Original) The compound of claim 3, wherein R^4 is an ester group represented by $--R^5COO--$, wherein R^5 is bonded to the carboxylic acid group and has 0 to 5 carbon atoms.
5. (Original) The compound of claim 3, wherein R^4 is an ether group represented by $R^6--O--R^7$ wherein R^6 and R^7 are, independently, an alkyl or allyl group having 0 to 5 carbon atoms.
6. (Original) The compound of claim 1, wherein said aromatic group comprises $Ar--(R^8)_m$, wherein Ar represents a benzene ring, and m is 1 or 2.
7. (Original) The compound of claim 6, wherein R^8 is $--CH=CH_2$, or $--COOH$.
8. (Original) The compound of claim 1, wherein the ester group is represented by $--CR^9$, where R^9 is an ester of nicotinic acid, an ester of isonicotinic acid, or the ester group is represented by $--CO(C=O)R^{9a}$, where R^{9a} is $Ph(CY_3)_o$, where o is 1 or 2, and Y may be, independently, H, F, Cl, Br, or I, or where R^{9a} is a substituted heterocyclohexane compound.
9. (Original) The compound of claim 1, wherein the phosphonic acid derivative group is represented by $--CO--P(R^{10})(O)OH$, where R^{10} is an alkyl group having 0 to 5 carbon atoms.
10. (Original) The compound of claim 1, wherein the phosphate group is $--COP(O)(OR^{11})_2$, where R^{11} is an alkyl group having 0 to 5 carbon atoms, or a phenyl group.
11. (Original) The compound of claim 1, wherein the nitrile group is $R^{12}CN$, where R^{12} is an alkyl group having 0 to 5 carbon atoms.
12. (Original) The compound of claim 1, wherein the sulfone group is $--CS(=O)_2R^{13}$, wherein R^{13} is $--N(CH_3)_2$, $--OR^{14}$, or $--Ph--COOR^{14}$, where R^{14} is H, CH_3 , or $--CH(CH_3)_2$.
13. (Original) The compound of claim 1, wherein the sulfide group is $--CSR^{15}$, where R^{15} is pyridine or $--Ph--COOR^{16}$, where R^{16} is H or CH_3 .
14. (Original) The compound of claim 1, wherein the amino acid derivative group is $--COC(=O)CHR^{21}N(R^{17})_2$, where each R^{17} group is, independently, H or CH_3 and R^{21} is hydrogen or any other substituent.

15. (Original) The compound of claim 1, wherein the amine group is $--CN(R^{18})_2$, where each R^{18} group is, independently, H, an alkyl group, or a phenyl group.
16. (Original) The compound of claim 1, wherein the ether group is $--C--O--CR^{19}$, where R^{19} is a substituted pyridine.
17. (Original) The compound of claim 1, wherein the amide group is $-(C=O)N(R^{20})_2$, or $--CH_2(C=O)N(R^{20})_2$ where each R^{20} is, independently, H or $--CH_2CH_2N(CH_3)_2$.
18. (Previously Presented) A compound including resolved enantiomers, diastereomers, solvates and pharmaceutical acceptable salts thereof, said compound having the formula:




where D forms a heterocyclic ring having 3 to 5 atoms.

19. (Original) The compound of claim 18, wherein the heterocyclic ring is a 3-membered ring and one of the atoms in the ring is oxygen.
20. (Original) The compound of claim 18, wherein the heterocyclic ring is a 5-membered ring and two of the atoms in the ring are oxygen.
21. (Original) The compound of claim 20, wherein the heterocyclic ring is substituted with an oxygen atom.
22. (Original) The compound of claim 21, wherein another atom in the 5-membered ring is a sulfur or a phosphorous atom.
23. (Original) The compound of claim 22, wherein the 5-membered ring is substituted with 1 or 2 oxygen atoms bonded to the sulfur atom.
24. (Previously Presented) A compound including resolved enantiomers, diastereomers, solvates and pharmaceutical acceptable salts thereof, said compound having the formula:




where E is H, O, NR, CH₂ or S wherein R may be hydrogen, alkyl, aryl or any other substituent.


25. (Original) The compound of claim 1 wherein if R₁ is H or --OH then R₂ is



if R₂ is OH or H then R₁ is




26. (Original) The compound of claim 1, wherein if R is H or --OH then




R₂ is


and if R₂ is OH or H then R₁ is



27. (Original) The compound of claim 1, wherein if R₁ is H or --OH then R₂ is




and if R₂ is --OH or H then R₁ is




wherein R is hydrogen or a methyl group when n is 0 or 2.


28. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




29. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




30. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




31. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




32. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




33. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




34. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is



35. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




36. (Original) The compound of claim 1, wherein if R_1 is H then R_2 is --OH.

37. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




38. (Original) The compound of claim 1, wherein if R_1 is H then R_2 is carboxylic acid.


39. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




40. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




41. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




42. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




43. (Original) The compound of claim 1 wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




44. (Original) The compound of claim 1, wherein is R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is





45. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




46. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




47. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




48. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




49. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is HO- and




if R_2 is --OH or H then R_1 is HO-




50. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is





51. (Original) The compound of claim 50 wherein R is a methyl or ethyl group.

52. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is  and


if R_2 is --OH or H then R_1 is .


53. (Original) The compound of claim 52 wherein R is a methyl group.
54. (Original) The compound of claim 52 wherein R is an iso-propyl group.


55. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is 


and if R_2 is --OH or H then R_1 is .


56. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is





57. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is  and if

R_2 is --OH or H then R_1 is .


58. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is 

and if R_2 is --OH or H then R_1 is .


59. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is  and

if R_2 is --OH or H then R_1 is .


60. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




61. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




62. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




63. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




64. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is



65. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




66. (Original) The compound of claim 66 wherein each R' and R independently can be any amino acid of all possible stereochemistries and with any degree and choice of protecting group.


67. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




68. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




69. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




70. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is




71. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is




and if R_2 is --OH or H then R_1 is



72. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is



and if R_2 is --OH or H then R_1 is





73. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is





R_2 is --OH or H then R_1 is





74. (Original) The compound of claim 1, wherein if R_1 is H or --OH then R_2 is  NRR' and
if R_2 is --OH or H then R_1 is  NRR'.


75. (Original) The compound of claim 74, wherein R and R' are independently of each other hydrogen, alkyl, aryl, or allyl.

76. (Original) The compound of claim 19 wherein said heterocyclic ring is .


77. (Original) The compound of claim 21 wherein said heterocyclic ring is .

78. (Original) The compound of claim 22 wherein said heterocyclic ring is .

79. (Original) The compound of claim 21 wherein said heterocyclic ring is  Me .


80. (Original) The compound of claim 22 wherein said heterocyclic ring is .

81. (Previously Presented) A compound including resolved enantiomers, diastereomers, solvates and pharmaceutical acceptable salts thereof, said compound having the formula:



82. (Canceled).

83. (Currently Amended) A compound including resolved enantiomers, diastereomers, solvates and pharmaceutical acceptable salts thereof, said compound having the formula:



84. (Original) A method of treating cancer, which comprises administering to a patient suffering from said cancer the compound of claim 1.
85. (Original) A method according to claim 84 wherein said cancer is selected from the group of cancers consisting of leukemia, non-small cell lung cancer, colon cancer, central nervous system cancer, melanoma cancer, ovarian cancer, renal cancer, prostate cancer, and breast cancer.
86. (Original) A method for treating malaria comprising administering an effective amount of the compound of claim 1.